

SAFETY DATA SHEET

According to JIS Z 7253:2019
Issue Date 21-Aug-2025
 Revision Number 1.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Deblocking Solution [Dichloroacetic Acid-Toluene (10:90)]
Product Code	040-34515,048-34511

Supplier FUJIFILM Wako Pure Chemical Corporation
 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
 Phone: +81-6-6203-3741
 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Category 2

Corrosive to metals

Category 1

Acute toxicity - Inhalation (Vapors)

Category 4

Skin corrosion/irritation

Category 1

Serious eye damage/eye irritation

Category 1

Germ cell mutagenicity

Category 2

Carcinogenicity

Category 1B

Reproductive Toxicity

Category 1A (additional)

Specific target organ toxicity (single exposure)

Category 1, Category 3

Category 1 central nervous system, respiratory system

Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1

Category 1 central nervous system, kidneys

Aspiration hazard

Category 1

Acute aquatic toxicity

Category 2

Chronic aquatic toxicity

Category 3

Pictograms



Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapor

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer
 H360 - May damage fertility or the unborn child
 H362 - May cause harm to breast-fed children
 H335 - May cause respiratory irritation
 H336 - May cause drowsiness or dizziness
 H304 - May be fatal if swallowed and enters airways
 H401 - Toxic to aquatic life
 H412 - Harmful to aquatic life with long lasting effects
 H370 - Causes damage to the following organs: central nervous system, respiratory system
 H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, kidneys

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep only in original container
- Keep cool

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting
- Rinse mouth
- In case of fire: Use suitable extinguishing media for extinction
- Absorb spillage to prevent material damage

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed
- Store in corrosive resistant/ container with a resistant inner liner

Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Toluene	83.30	92.14	3-2,3-60	*	108-88-3
Dichloroacetic acid	16.70	128.94	(2)-1161	2-(4)-657	79-43-6

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminant and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recovery, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use with local exhaust ventilation. Avoid contact with metal. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage**Safe storage conditions****Storage conditions**

Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Packed with an inert gas.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents, Metals

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Toluene 108-88-3	50ppm,188 mg/m ³ ;percutaneous absorption	ISHL/ACL: 20 ppm	TWA: 20 ppm
Dichloroacetic acid 79-43-6	N/A	N/A	TWA: 0.5 ppm Skin

Personal protective equipment**Respiratory protection**

gas mask for organic gas (JIS T 8152)

Hand protection

chemical protective gloves (JIS T 8116)

Eye protection

protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection

Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form**Color**

Colorless - nearly colorless

Turbidity

clear

Appearance

liquid

Odor

no data available

Melting point/freezing point

no data available

Boiling point, initial boiling point and boiling range

no data available

Flammability

Highly flammable liquid and vapor

Evaporation rate:

no data available

Flammability (solid, gas):

no data available

Upper/lower flammability or explosive limits**Upper:**

no data available

Lower:

no data available

Flash point

no data available

Auto-ignition temperature:

no data available

Decomposition temperature:	no data available
pH	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	no data available
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	no data available
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity	no data available
Chemical stability	May be altered by light.
Hazardous reactions	Corrodes metals to generate hydrogen gas.
Conditions to avoid	Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark
Incompatible materials	Strong oxidizing agents, Metals
Hazardous decomposition products	Carbon monoxide (CO), Carbon dioxide (CO ₂), Halides

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Toluene	5000 mg/kg (Rat)	12000 mg/kg (Rat)	7460 ppm (Rat) 4 h (vapor)
Dichloroacetic acid	2820 mg/kg (Rat)	510 mg/kg (Rabbit)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Toluene	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Dichloroacetic acid	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Toluene	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Dichloroacetic acid	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Toluene	Based on the NITE GHS classification results.
Dichloroacetic acid	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Toluene	Based on the NITE GHS classification results.
Dichloroacetic acid	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Toluene	Based on the NITE GHS classification results.

Dichloroacetic acid	Based on the NITE GHS classification results.
---------------------	---

Reproductive cell mutagenicity

Chemical Name	germ cell mutagenicity source information
Toluene	Based on the NITE GHS classification results.
Dichloroacetic acid	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Toluene	Based on the NITE GHS classification results.
Dichloroacetic acid	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH
Toluene 108-88-3	N/A	Group 3	N/A	N/A
Dichloroacetic acid 79-43-6	-	Group 2B	A3	-

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Toluene	Based on the NITE GHS classification results.
Dichloroacetic acid	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Toluene	Based on the NITE GHS classification results.
Dichloroacetic acid	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
Toluene	Based on the NITE GHS classification results.
Dichloroacetic acid	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Toluene	Based on the NITE GHS classification results.
Dichloroacetic acid	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Toluene	EC50 : <i>Pseudokirchneriella subcapitata</i> 433 mg/L 96 h	LC50 : <i>Pimephales promelas</i> 15.22 - 19.05 mg/L 96 h	EC50 : <i>Ceriodaphnia dubia</i> 3.78 mg/L 48 h
Dichloroacetic acid	ErC50 : <i>Raphidocelis</i> 17 mg/L 72 h	N/A	N/A

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Toluene	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Dichloroacetic acid	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number	UN2924
Proper shipping name:	Flammable liquid, corrosive, n.o.s. (Toluene / Dichloroacetic Acid mixture)
UN classification	3
Subsidiary hazard class	8
Packing group	II
Marine pollutant	Not applicable

IMDG

UN number	UN2924
Proper shipping name:	Flammable liquid, corrosive, n.o.s. (Toluene / Dichloroacetic Acid mixture)
UN classification	3
Subsidiary hazard class	8
Packing group	II
Marine pollutant (Sea)	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

IATA

UN number	UN2924
Proper shipping name:	Flammable liquid, corrosive, n.o.s. (Toluene / Dichloroacetic Acid mixture)
UN classification	3
Subsidiary hazard class	8
Packing group	II
Environmentally Hazardous Substance	Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act	Category IV, Class I petroleums, dangerous grade 2
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2) Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Industrial Safety and Health Act (2027~)	【2027.4.1~】Substances designated by the Minister of Health, Labor and Welfare as carcinogenic(Ordinance on Industrial Safety and Health Art.577, Para.2)
Regulations for the carriage and storage of dangerous goods in ship	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Notification for Air Transportation of

Explosives etc., Attached Table 1)
Pollutant Release and Transfer Register Law (2023.4.1-) Class 1
Class 1 - No. 300
Water Pollution Control Act Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)
Narcotics and Psychotropics Control Law
Air Pollution Control Law Hazardous Air Pollutants, Priority Chemical Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Toluene 108-88-3 (83.30)	-	Applicable	Applicable
Dichloroacetic acid 79-43-6 (16.70)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput
 IATA dangerous Goods Regulations
 RTECS:Registry of Toxic Effects of Chemical Substances
 Japan Industrial Safety and Health Association GHS Model SDS
 Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.
 etc

Record of SDS revisions

The following contents were revised. Hazards identification. Handling and storage.
 Exposure controls/personal protection. Stability and reactivity. Ecological information.
 Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet